90 Recd PCT/PTO 16 MAY 2000

	2	<u> </u>	NUSCALCIVEIO TO WILL 500				
FORM-PT (Rev. 5-93)		EPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER				
TRANSMITTAL LETTER TO THE UNITED STATES			0145 150				
	DESIGNATED/ELEC	0145-152					
	CONCERNING A FII	US APPLICATION NO (IF known, see 37 C F R 1 5) 09 / 53 0 95 5					
INTERNATIONAL APPLICATION NO. PCT/JP99/05542		INTERNATIONAL FILING DATE OCTOBER 7, 1999	PRIORITY DATE CLAIMED NONE				
TITLE OF INVENTION ULTRAVIOLET ILLUMINATION EQUIPMENT							
APPLICANT(S) FOR DO/EO/US							
Nobuyuki HISHINUMA, Hiroshi SUGAWARA, Fumitosho TAKEMOTO, Hiroaki TOKAI and Jun MURASE							
		esignated/Elected Office (DO/EO/US) the following items and	d other information:				
1. X	This is a FIRST submission of items	concerning a filing under 35 U.S C. 371.					
2.		T submission of items concerning a filing under 35 U.S.C. 37.	1.				
3. LX	This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and the PCT Articles 22 and 39(1)						
4. L	A proper Demand for International Pro	eliminary Examination was made by the 19th month from the	earliest claimed priority date.				
5. 💆 🗆	A copy of the International Application	n as filed (35 U.S.C 371(c)(2))					
	a. Dis transmitted herewith (require	red only if not transmitted by the International Bureau).					
	b. X has been transmitted by the In	· · · · · · · · · · · · · · · · · · ·					
		ion was filed in the United States Receiving Office (RO/US)					
6	A translation of the International Application into English (35 U.S.C. 371(c)(2)).						
7.	Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))						
	a. are transmitted herewith (required only if not transmitted by the International Bureau).						
E-100	b. have been transmitted by the International Bureau.						
<u> </u>	c. have not been made; however,	the time limit for making such amendments has NOT expired					
Section 1	d. have not been made and will n	ot be made.					
8.	A translation of the amendments to the	claims under PCT Article 19 (35 U.S C 371(c)(3)).					
9. X	An oath or declaration of the inventor(s) (35 U S.C. 371(c)(4))					
10.	A translation of the annexes to the Inte	rnational Preliminary Examination Report under PCT Article	36 (35 U.S C 371(e)(5)).				
Items 11. to 16. below concern other document(s) or information included:							
11.	An Information Disclosure Statement u	ander 37 CFR 1 97 and 1.98					
12.	An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.						
13. X	A FIRST preliminary amendment.						
	A SECOND or SUBSEQUENT preliminary amendment						
14.	A substitute specification.						
15.	A change of power of attorney and/or address letter.						
16. X	Other items or information: PATENT	APPLICATION BIBLIOGRAPHIC DATA AND FIVE (5) SE	HEETS OF DRAWINGS (FIGS. 1-5)				

422 Rec'd PCT/PTO 1 6 MAY U.S. APPLICATION NO. (If know INTERNATIONAL APPLICATION ATTORNEY'S DOCKET NUMBER PCT/JP99/05542 0145-152 PTO USE ONLY CALCULATIONS The following fees are submitted: Basic National Fee (37 CFR 1.492(a)(1)-(5)): International preliminary examination fee paid to USPTO (37 CFR 1.482) No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1 445(a)(2)) \$760.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) ENTER APPROPRIATE BASIC FEE AMOUNT = 840.00 0 Surcharge of \$130.00 for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492(e)). ☐ 20 ☐ 30 Claims Number Filed Number Extra Rate Total Claims 10 - 20 =X \$18.00 \$ 0 Independent Claims 2 -3 = 0 X \$78.00 \$ 0 Multiple dependent claim(s) (if applicable) + \$260.00 \$ 0 TOTAL OF ABOVE CALCULATIONS = \$ 840.00 Reduction for 1/2 for filing by small entity, if applicable. Verified Small Entity statement must also be filed. (Note \$ SUBTOTAL = \$ 840.00 ۱D Processing fee of \$130.00 for furnishing the English translation later than \$ 0 months from the earliest claimed priority date (37 CFR 1.492(f)). TOTAL NATIONAL FEE = \$ 840.00 Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +40.00 TOTAL FEES ENCLOSED = 880.00 Amount to be: 17 refunded charged A check in the amount of \$_80.00 to cover the above fees is enclosed. Please charge my Deposit Account No. 19-2380 in the amount of \$_____ to cover the above fees. A duplicate copy of this sheet is enclosed. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. ____19-2380(0145-152) . A duplicate copy of this sheet is enclosed. NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status. SEND ALL CORRESPONDENCE TO-David S. Safran, Esq. NIXON PEABODY LLP 8180 Greensboro Drive Suite 800 David S. Safran McLean, Virginia 22102 NAME 27,997

REGISTRATION NUMBER

09/530955 422 Rec'd FCT/PTO 1 6 MAY 2000

Docket No. 0145-152

IN THE UNITED STATES DESIGNATED/ELECTED OFFICE

IN RE INTERNATIONAL APPLICATION NO. PCT/JP99/05542

INTERNATIONAL FILING DATE: October 7, 1999

APPLICANT: Nobuyuki HISHINUMA et al.

TITLE: ULTRAVIOLET ILLUMINATION EQUIPMENT

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents

Washington, D.C. 20231

Sir:

Preliminary to calculation of the filing fee and examination of this application, please amend the above-captioned application as follows:

In the Specification:

Page 1, line 1, delete in its entirety;

line 2, center line in its entirety;

line 3, change heading "Field of Technology" to the headings:

--Background of the Invention

Field of the Invention--;

line 4, change "to perform" to --for--; delete "means of";

line 5, delete "means of"

line 7, change heading "Background of Technology" to the heading:

-- Description of the Related Art--;

line 9, change "time; this" to --time. Such--; and

line 10, change "ashing" to --washing--.

Page 2, line 2, after "used" insert --as the ultraviolet illumination equipment--; after "described", insert --above.--;

line 3, delete in its entirety;

line 17, after "problems", insert --in--; and

line 20, after "problem", insert --in--.

Page 3, before the first line, insert the heading:

--Summary of the Invention--;

line 1, change "above; its" to --above. Its primary--;

line 5, delete in its entirety;

line 7, change "described in claim 1 is ultraviolet illumination equipment that" to --in accordance with one embodiment of the present invention--;

line 8, delete "and";

line 9, delete "that is characterized by";

line 10, delete "establishment of";

line 11, delete in its entirety;

line 12, change "as described in claim 1 above, in which" to --In another embodiment of the ultraviolet illumination equipment in accordance with the present invention, --;

line 14, delete in its entirety;

line 15, change "as described in claim 2 above, in which" to --In another embodiment of the ultraviolet illumination equipment in accordance with the present invention, --;

line 17, delete in its entirety;

line 18, change "as described in claim 2 above, in which" to --In another embodiment of the ultraviolet illumination equipment in accordance with the present invention, --;

line 20, delete in its entirety;

line 21, change "as described in claim 2 above, in which" to --In another embodiment of the ultraviolet illumination equipment in accordance with the present invention, --; and

line 22, change heading "Brief Explanation of Drawings" to the heading: --Brief Description of the Drawings--.

Page 4, line 7, change heading "Optimum Effect of Implementation of Invention" to the heading:

-- Detailed Description of the Invention--;

line 8, after "illumination equipment", insert --in accordance with one embodiment--; line 13, change "to heat" to --for heating--; and line 18, change "w" to --2--.

Page 5, line 1, change "figure 1" to --Figure 1--;
line 3, after "means", insert --H--;
line 5, change "figure 2" to --Figure 2--; after "heater", insert --H1--;
line 6, after "specifically", insert --, is provided--;
line 11, change "figure 3" to --Figure 3--; after "microheater", insert --H2--;
line 12, after "specifically", insert --, is provided--; and
line 17, after "microheater", insert --H2--.

Page 6, line 1, after "means", insert --H--; after "thick-film heater", insert --H1--; after "linear heater", insert --H2--;

line 6, after "thick-film heater", insert --H1--; change "and" to --or--; after "linear heater", insert --H2--;

line 9, change "figure 4" to --Figure 4--;

line 11, after "bulbs", insert --5--;

line 12, after "bulbs", insert --5--; after "means", insert --H--;

line 13, after "thick-film heaters", insert --H1--; after "linear heaters", insert --H2--;

line 19, after "window", insert --3--; change "figure 2" to --Figure 2--; change "figure

5" to --Figure 5--; and

line 20, change "figure 5" to --Figure 5--; after "window's", insert --3--.

```
line 22, after "window", insert --3-; change "is" to --, it--;
       Page 7, line 1, after "window", insert --3--;
               lines 1 and 2, after "to the window", insert --3--.
               line 2, after "from the window", insert --3--; after "When the window", insert --3--;
                line 3, after "window", insert --3--;
                line 4, after "window", insert --3--;
                line 5, after "window", insert --3--;
                line 6, after "window", insert --3--;
                line 9, after "window", insert --3--;
                line 10, after "window", insert --3--;
                line 15, after "thick-film heaters", insert --H1--; change "and" to --or--; after "linear
heaters", insert --H2--; after "heating means", insert --H--;
                line 16, after "of the window", insert --3--; after "heats the window", insert --3--;
                line 17, after "window", insert --3--;
                line 18, after "bulbs", insert --5--; after "heating means", insert --H--;
                line 19, after "window", insert --3--; and
                lines 20-23, delete in their entirety.
```

Page 8, line 1, change heading "Scope of Claims" to the heading:

--Claims--; and

lines 14-20, delete in their entirety.

Page 9, lines 1-2, delete in their entirety; and

after line 3, insert the heading and text as follows:

-- Abstract of the Disclosure

An ultraviolet illumination equipment including a receptacle with a window, a dielectric-barrier discharge lamp located within the receptacle for emitting ultraviolet radiation through the window, and a heater for heating the window to at least 100° C.--

In the Claims:

Please cancel claims 1-5.

Please add claims 6-15 as follows:

- --6. An ultraviolet illumination equipment comprising:
- a receptacle with a window;
- a dielectric-barrier discharge lamp located within said receptacle for emitting ultraviolet radiation through said window of said receptacle; and
 - a heating means for preventing formation and accumulation of debris on said window.
- 7. The ultraviolet illumination equipment of claim 6, wherein said heating means is provided within said receptacle.
- 8. The ultraviolet illumination equipment of claim 7, wherein said heating means is a thick-film heater positioned on a surface of said window.
- 9. The ultraviolet illumination equipment of claim 7, wherein said heating means is a linear heater positioned on a surface of said window.
- 10. The ultraviolet illumination equipment of claim 7, wherein said heating means is an incandescent bulb.
- 11. The ultraviolet illumination equipment of claim 10, further including a reflecting mirror adapted to transfer heat from said incandescent bulb to said window.
 - 12. An ultraviolet illumination equipment comprising: a receptacle with a window;

a dielectric-barrier discharge lamp located within said receptacle for emitting ultraviolet radiation through said window of said receptacle; and

a heater to heat said window to at least 100° C.

- 13. The ultraviolet illumination equipment of claim 12, wherein said heater is a thick-film heater positioned on a surface of said window.
- 14. The ultraviolet illumination equipment of claim 12, wherein said heater a linear heater positioned on a surface of said window.
- 15. The ultraviolet illumination equipment of claim 12, wherein said heater is an incandescent bulb.--

REMARKS

The above amendments are made to conform the Specification and Claims of the above PCT application to U.S. patent practice and to remove the use of multiple dependencies in the national filing phase.

Respectfully submitted,

David S. Safran

Registration No. 27,997

NIXON PEABODY LLP 8180 Greensboro Drive Suite 800 McLean, Virginia 22102 (703) 790-9110 5/PART

09/530955 422 Rec'd PCT/PTO 1 6 MAY 2000

- 1 -

Docket No. 0145-152

Particulars

Ultraviolet Illumination Equipment

Field of Technology

This invention concerns ultraviolet illumination equipment to perform dry washing by means of ultraviolet radiation from a dielectric-barrier discharge lamp, and by means of ozone created at the same time by the ultraviolet radiation.

Background of Technology

Technology for dry washing by means of ultraviolet illumination equipment using an ultraviolet radiation light source has been known for some time; this ultraviolet illumination equipment has been used for light ashing and precision light washing in the liquid crystal and semiconductor field.

Ultraviolet illumination equipment of this type have previously used, as the ultraviolet light source, low-pressure mercury lamps and medium pressure mercury lamps that radiate well at the ultraviolet wavelengths of 253.7 nm or 184.9 nm.

Various chemicals such as organic solvents, acids and alkalis are used when processing semiconductor or liquid crystal devices, and so these chemicals are often removed by evaporation. Among these chemicals are those that absorb ultraviolet radiation and are broken down by the energy and produce reaction products after reacting with other chemicals. For example, ammonium bisulfate $(NH_4)H(SO_4)_2$ and ammonium sulfate $(NH_4)_2SO_4$ are produced.

Such reaction products circulate as fine dust particles within the clean room, and when these fine dust particles accumulate, they sometimes become a factor with a deleterious effect on the manufacturing process.

15

20

5

20

5

On the other hand, in recent years, dielectric-barrier discharge lamps with high energy, a single wavelength and good efficiency have come to be used, in place of the mercury lamps described above, as the ultraviolet light source in ultraviolet illumination equipment.

In ultraviolet illumination equipment that uses a dielectric-barrier discharge lamp as the ultraviolet light source, the dielectric-barrier discharge lamp is placed in a receptacle that is sealed to separate it from the atmosphere, and the ultraviolet radiation emitted by the dielectric-barrier discharge lamp passes through a part of that receptacle to illuminate the item to be processed.

Nevertheless, there has been a problem in that ultraviolet illumination equipment that uses a dielectric-barrier discharge lamp has a window through which the ultraviolet radiation passes, and the reaction products mentioned above are carried by convection and adhere to this window.

The reason the reaction products adhere to the window is that when the dielectric-barrier discharge lamp is lit, the temperature of the front of the lamp is low, about 70°C, and so the radiant heat radiated from the lamp cannot heat the window sufficiently. Because of that, reaction products that come into contact with the window are not carried away from the window by the radiant heat, but immediately adhere to the window.

As a result, there are the problems that the transparency to ultraviolet radiation is lowered by the reaction products that adhere to the window, and the intensity of the ultraviolet radiation is not uniform throughout the area of illumination.

There is the further problem that processing defects and flaws appear on the item being processed, and the yield is reduced.

In cases of a considerable buildup of reaction products adhered to the window, there is a problem in that the reaction products can peel off the window as large pieces of debris, and contaminate the processing environment of the clean room.

This invention was made on the basis of the situation described above; its purpose is to provide ultraviolet illumination equipment that makes it possible to prevent reaction products due to ultraviolet radiation from adhering to the window, and thus to prevent reduction of the intensity of the ultraviolet radiation and the formation of debris from the reaction products.

5 Presentation of Invention

In order to resolve the problems described above, the ultraviolet illumination equipment described in claim 1 is ultraviolet illumination equipment that has a dielectric-barrier discharge lamp located within a receptacle, and a window in the receptacle through which the ultraviolet radiation from the dielectric-barrier discharge lamp is emitted, and that is characterized by establishment of a heating means to heat the window to at least 100°C.

The ultraviolet illumination equipment described in claim 2 is ultraviolet illumination equipment as described in claim 1 above, in which the heating means is established within the ultraviolet illumination equipment.

The ultraviolet illumination equipment described in claim 3 is ultraviolet illumination equipment as described in claim 2 above, in which the heating means is a thick-film heater formed on the surface of the window.

The ultraviolet illumination equipment described in claim 4 is ultraviolet illumination equipment as described in claim 2 above, in which the heating means is a linear heater formed on the surface of the window.

The ultraviolet illumination equipment described in claim 5 is ultraviolet illumination equipment as described in claim 2 above, in which the heating means is an incandescent bulb.

Brief Explanation of Drawings

Figure 1 is an explanatory drawing of the ultraviolet illumination equipment of this invention.

Figure 2 is an explanatory drawing of a window using a thick-film heater as the heating means.

Figure 3 is an explanatory drawing of a window using a microheater as the heating means.

Figure 4 is an explanatory drawing of a window using incandescent bulbs as the heating means.

Figure 5 is experimental data showing the change, due to the temperature of the window, in transparency to ultraviolet radiation caused by the adherence of radiation products.

Optimum Effect of Implementation of Invention

Figure 1 is an explanatory drawing of the ultraviolet illumination equipment of this invention.

Within a receptacle 1 made of stainless steel, there are a number of dielectric-barrier discharge lamps 2 that emit ultraviolet radiation. There is a window 3 made of quartz glass to be transparent to ultraviolet radiation on the front of the receptacle 1.

On the inner surface of the window 3 of the ultraviolet illumination equipment is formed a heating means H to heat the window 3 to at least 100°C. Now, the heating means H will be explained in detail hereafter.

The receptacle 1 is sealed closed, and the dielectric-barrier discharge lamps 2 are separated from the atmosphere. The receptacle 1 is sealed with a gas, such as nitrogen, argon or neon, whose transparency is inactive with regard to the light emitted by the dielectric-barrier discharge lamps 2.

The dielectric-barrier discharge lamps w are filled with xenon at 250 Torr as a discharge gas. The input power is 0.2 W per square centimeter of sight emitting area, and ultraviolet radiation with a maximum wavelength of 172 nm is emitted efficiently.

15

In figure 1, 4 is a reflecting mirror that efficiently reflects the ultraviolet radiation emitted by the dielectric-barrier discharge lamps 2 toward the window.

The heating means is explained next.

<Heating means 1>

As shown in figure 2, a thick-film heater is formed within the ultraviolet illumination equipment, and specifically on the surface of the dielectric-barrier discharge lamp side of the window 3.

This thick-film heater H1 is a conductive, heat-generating paste that is screen printed onto the window 3, then baked for 30 minutes at 500°C.

Now, the amount of heat produced by this thick-film heater H2 is 1.9 kW.

<Heating means 2>

As shown in figure 3, a microheater, which is a linear heater, is formed within the ultraviolet illumination equipment, and specifically on the surface of the dielectric-barrier discharge lamp side of the window 3.

This microheater is a fine tube of stainless steel with a nicrome wire running along the center of the tube as a heating element, the space between the tube and the wire being filled with high-grade powdered magnesium. It is a bendable heater.

Now, this microheater is 1.6 mm in diameter and 40 m in length; the amount of heat produced is 4 kW.

20

5

The reason that these heating means, the thick-film heater and the linear heater, are formed within the ultraviolet illumination equipment, and specifically on the surface of the dielectric-barrier discharge lamp side of the window 3 is this: to prevent deterioration of the heaters by preventing direct contact of the heaters with the gases and vapors produced during processing of the item being processed, and to keep the heaters from casting a shadow on points directly below the heaters.

Moreover, by forming the thick-film heater and the linear heater directly on the surface of the window 3, it is possible to heat the window 3 more efficiently.

<Heating means 3>

As shown in figure 4, incandescent halogen bulbs 5 are placed between the dielectric-barrier discharge lamps 2, within the receptacle 1.

In this case, the window 3 is heated by the infrared radiation from the incandescent bulbs.

When incandescent bulbs are used as the heating means in this way, the structure of the ultraviolet illumination equipment is simpler than with thick-film heaters or linear heaters, and there is no obstruction at all of ultraviolet radiation passing through the window. Therefore, the uniformity of intensity of the ultraviolet radiation emitted is even better.

Now in this implementation, the incandescent bulbs were 500 W, 25 A halogen lamps sealed on both ends.

Next, experimentation was done to investigate the amount of adhered material relative to the temperature of the window, using the ultraviolet illumination equipment shown in figure 1 with a thick-film heater on the window, as shown in figure 2. The results are shown in figure 5.

In figure 5, the vertical scale shows the window's transparency to light with a wavelength of 172 nm. As the temperature of the window rose, the transparency increased. From that fact is was known that

as the temperature of the window became higher, the reaction products which had adhered to the window began to break up and separate from the window. When the window was at 100°C, reaction products that even approached the window were broken up by its radiant heat, and none adhered to the window.

As was learned from these results, heating the window to at least 100°C made it possible to prevent the reaction products from adhering to the window, to prevent a reduction in the intensity of ultraviolet radiation, and to prevent the formation of debris from reaction products.

As explained above, the ultraviolet illumination equipment of this invention uses a heating means to heat the window to at least 100°C, and so it is possible to prevent the reaction products of organic solvents, acids, alkalis or other chemicals, due to ultraviolet radiation, from adhering to the window, and it is possible to prevent the formation of debris from the reaction products.

Moreover, because the heating means is established within the ultraviolet illumination equipment, it does not undergo deterioration from contact with organic solvents, acids, alkalis or other chemicals.

Because the thick-film heaters and linear heaters used as heating means are formed directly on the surface of the window, the heat generated by these heaters heats the window directly, and so it is possible to heat the window efficiently.

Using incandescent bulbs as the heating means simplifies manufacturing and further improves the uniformity of ultraviolet radiation intensity, in addition to heating the window.

20 Field of Industrial Use

This invention can be used as ultraviolet illumination equipment for dry washing by means of the ultraviolet radiation emitted by the dielectric-barrier discharge lamp and simultaneously by means of the ozone produced by that ultraviolet radiation.

20

5

Scope of Claims

- 1. Ultraviolet illumination equipment that has a dielectric-barrier discharge lamp located within a receptacle, and a window in the receptacle through which the ultraviolet radiation from the dielectric-barrier discharge lamp is emitted, and that is characterized by establishment of a heating means to heat the window to at least 100°C.
- 2. Ultraviolet illumination equipment as described in claim 1 above, in which the heating means is established within the ultraviolet illumination equipment.
- 3. Ultraviolet illumination equipment as described in claim 2 above, in which the heating means is a thick-film heater formed on the surface of the window.
- 4. Ultraviolet illumination equipment as described in claim 2 above, in which the heating means is a linear heater formed on the surface of the window.
- 5. Ultraviolet illumination equipment as described in claim 2 above, in which the heating means is an incandescent bulb.


Summation


This invention is to prevent reaction products due to ultraviolet radiation from adhering to the window, to prevent reduction of the intensity of the ultraviolet radiation, and to prevent the formation of debris from the reaction products.


Presentation of Invention


Ultraviolet illumination equipment that has a dielectric-barrier discharge lamp 2 located within a receptacle 1, and a window 3 in the receptacle 1 through which the ultraviolet radiation from the

dielectric-barrier discharge lamp 2 is emitted, and that is characterized by establishment of a heating means to heat the window 3 to at least 100° C.














Transparency of the window to light at 172 nm (%)

Temperature of the front surface of the window (°C)

一宣二江家一是明春名		Full name of third join tovenor. Vany Fumitosho TAKEMOTO
"言言"注意一张"利亚" "	. •	
さいまる ・	新 村,	Sugartical Internets 4/24/00
	•	Himeji-shi, Japan
7		Japanese
式 发		Franciska Adoma 5-12-3, Shinzaikehonmachi
	:	Himeji-shi, Hyogo, Japan
二共同共列心		Full name of fount joint inventor, if any HIYOAKI TORAL
(二) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	AH	Hinoshi Tokai 4/26/00
e#		Russine Himeji-shi, Japan
著 耳		Japanese
名字頭		219-1, Mikuninochofukashino
	· · · · · · · · · · · · · · · · · · ·	Himeji-shi, Hyogo, Japan
		Full mane of film John inventor, if any
由一些在位第一条明要岛		S Jun MURASE
発見者の登る	5 (4	Jun Murase 4/25/00
华界		Rimeji-shi, Japan
I I		Japanese
4.3.3		19-2, Hipodecho 2-chome,
		Rimeji-shi, Ryogo, Japan
出二共同発明者		Full name of sloth joint inventor, if any
东二龙凤克明石	яĦ	- Promote sylvation
往所		Residence
#		Chapening
化学成		Post Office Address
(京三以降の方面発明		はこれです。 基本をで (Supply minist intermedian and supplicite in piles and supply minist intermedian

支化状: 足は下記の発明者として、本出版に成する一切の 手続き全角管野馬羅湯に対して選行する赤鹿士士を信代忠人 として、下記の者を指名いたします。(弁領土、国たに代理 入の氏学とび手が発売を設定します。(

POWER OF ATTORNETS As a stanced inventor, I hereby appoint the following apprompt(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Unice tolinetted therewith (flat name and registration number)

Daniel W. Sixbey (Reg. No. 20,932)
Daviel S. Safrin (27,997)
Inflied L. Contellia (Reg. No. 35,473)
Robert M. Schulman (Reg. No. 31,186)
Mars S. Kaufman (Reg. No. 32,12)

Stury J. Friedram (Reg. No. 24-212)
Thomas W. Cole (Reg. No. 23-220)
Tim L. Breekert, Jr. (Reg. No. 35-203)
Thomas M. Bluscy (Reg. No. 33-23)
William J. Hestey (Reg. No. 33-23)
William J. Hestey (Reg. No. 36-160)

李斌是付完

NIXON PEABODY LLP 8180 Greenstore Dilye, Suite 800 McLean. Vinginia 22102

MOTON PEABODY LLD \$180 Greensboro Drive. Suite 800 McLean, Virginia 22102

证据高层基定: (名前及び党院各条)

David S. Safran (703) 790-9110

David S. Safran (703) 790-9110

域一主众社會一長明春基	NODYUKI HISEINUMA
北明帝の著名 日代	Notrunki Richinuma 4/57/00
	Rimeji-shi, Japan
HR.	Charlese Japanese
e d w	for one Adress 6-7-2, Kitahirano,
	Himeji-shi, Hyogo, Japan
苏 二元阿敦明者	For cases of sectoral joint investor, it day Hiroshi Sugawara
第二批问题明办	Hirshi Luchara 4/26/00
Z.A.	Rimeji-shi, Japan
ea .	Capanese Japanese
上書程	Apa otto Adres 2-11-704, Jounancho, Shikama-ku
	Himeli-shi, Evoco, Japan
(第三な際の作用機能をはついても内容	に記述し、 名名を子 (Siggify shifter information and elypeature for libral and evidence in
5=2)	Leater fi friel

Page I at I

Please see attached page 3a for names, addresses and signatures of additional inventors, if any.

Ü 1 1 2 1 ŧ, T. 17 THE REAL PROPERTY.

ļä

Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

アプの氏名の発明者として、私は以下の通り意葉します。

As a below named inventor, I hereby decis: "hat:

私の住所、私書籍、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の契明に関して額米範囲に記載され、特許出頭 している景明内容について、私が最初かつ唯一の発明者(下 記の氏名が一つの場合)もしくは最初かつ共同発明者である と(下記の各許が検弦の場合)信じています。 I believe f stuthe original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

ULTRAVIOLET ILLUMINATION

EQUIPMENT

上紀光明の明確費(下記の模でX目がついていない場合は、 木杏にお付)は、 the specification of which is attached beneto unless the following box is checked:

□ 月 月に提出され、米国出願番号または特許協定条約 国際出願母号を とし、 (試当する場合) に訂正されました。 was Sied on October 7, 1999
as United States Application Number of
PCT/JP99/05542 and was amended on
(if applicable).

私は、特許確認範囲を含む上記打算後の明如書を検討し、 内容を理解していることをここに表明します。 I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as emended by any amendment referred to above.

私は、連邦規則法典第37編第1条56項に定義されると おり、特許資格の有無について重要な情報を開示する義務が あることを認めます。 l acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Gode of Federal Regulations, Section 1.56.

Page I of 3

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case, Any comments on the support of time yet are required to complete this form about the sent to the Chief Information Officer, Patent and Trademark Office. Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO-Commissioner of Patents and Trademarks. Washington, DC 20231.

The second court of the se

Japanese Language Declaration (日本語宣言書)

私は、米国法庭第35編119条 (a) -(d) 項叉は365条 (b) 類に基さ下記の、 米 国以外の国の少なくとも一ヵ国を指定している特許協力条約365 (a) 項に基ずく国際出願、又は外国での特許出願もしては発明者証の出顧についての外国 展先権をここに 主張するとともに、優先権を主張している、本出顧の前に出顧された特許または発明者証の外国出顧を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s) 外国での先行出版

15

13

13

(Number)	(Country)
(番号)	(闰名)
(Number)	(Country)
(各号)	(国名)

利に、第35編米属法典119条(e)項に基いて下記の米国特許出解規定に記載された権利をここに主張いたします。

(Application No.) (Filing Date) (出類吞身) (出類日)

私は、下記の米陽差典第35編120条に基いて下記の米 開待計出版に記載された権利。又は米国を指定している特許 協力条約365条(c)に属すく権利をことに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条 第1項又は特許協力条約で規定された方法で先行する米国特 許出順に開示されていない限り。その先行米国出願替提出員 以降で本出願否の日本国内または特許協力条約国際提出目ま での期間中に入手された、連邦規則法典第37編1条56項 で定義された特許資格の有無に関する重要な情報について開 示義務があることを認識しています。

(Application No.) (Filing Date) (出頭符) (出頭符) (出頭符) (上頭音) (出版各十) (出版名)

私は、私自身の知識に基ずいて本面書書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じるところに基づく芸明が全て真実であると信じていること。さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、初金または拘禁、もしくはその両方により処罰されること。そしてそのような故意による虚偽の声明を行なえば、出額した、又は既に許可された特許の有効性が失われることを認識し、よってここによ死のごとく宣誓を致します。

Thereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(5) for patent or inventor's certificate, or 365(a) of any PCT International application which dealgnated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Not Glaimed 優先機主張なし

(Day/Month/Year Filed) (出版年月日)

(Day/Month/Year Filed) *

I hereby claim the benefit under Title 35. United States Gode, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)
(出類番号)

(Filing Date) (出題日)

i hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 385(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112. I acknowledge the duty to disclose information which is material to patentiability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International Hing date of application.

(Status: Patented Pending, Abandoned) (現況: 特許許可於、係為中、放業务)

(Status: Patented, Pending, Abandoned) (理況: 特許許可濟、係爲中、放棄濟)

I hereby disclars that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that witful false attements and the like as made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such witful false statements may jeopardize the validity of the application or any patent issued thereon.